JAN 0 3 2005

I hereby certify that this correspond to the U.S. Postal Service with sufficient postage as First Class Mail, in an envelope addressed to: MS Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: December 29, 2004 Signature:s

Docket No.: 01017/40451C

(PATENT)

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Brockhaus et al.

Application No.: 08/444,791

Filed: May 19, 1995

For: HUMAN TNF RECEPTOR

Confirmation No.: 5613

Art Unit: 1644

Examiner: R. Schwadron, Ph.D.

## SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (IDS)

MS Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Pursuant to 37 CFR §§1.56, 1.97 and 1.98, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached PTO/SB/08. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom. It is submitted that the Supplemental Information Disclosure Statement is in compliance with 37 CFR §1.98 and the Examiner is respectfully requested to consider the listed references. Copies of the documents identified on the enclosed PTO/SB/08 form are enclosed, except for copies of the U.S. patent documents which are not enclosed.

In accordance with 37 CFR §1.97(g), the filing of this Supplemental Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 CFR §1.56(a) exists. In accordance with 37 CFR §1.97(h), the filing of this Supplemental Information Disclosure Statement shall not be construed to be an admission that any patent, publication or other information referred to therein is "prior art" for this invention unless specifically designated as such.

Application No.: 08/444,791 Docket No.: 01017/40451C

This Supplemental Information Disclosure Statement is being filed after the mailing date of the first Office Action on the merits. Our check in the amount of \$180.00 covering the fee set forth in 37 CFR §1.17(p) is enclosed. However, the Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith to our Deposit Account No. 13-2855, under Order No. 01017/40451C. A duplicate copy of this paper is enclosed.

Dated: December 29, 2004

Respectfully submitted,

Sharon M. Sintich

Registration No.: 48,484

MARSHALL, GERSTEIN & BORUN LLP

233 S. Wacker Drive, Suite 6300

Sears Tower

Chicago, Illinois 60606-6357

(312) 474-6300

Attorney for Applicant



PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE k Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/B/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 1 of 8

	Complete if Known
Application Number	08/444,791-Conf. #5613
Filing Date	May 19, 1995
First Named Inventor	Brockhaus
Art Unit	1644
Examiner Name	R. Schwadron, Ph.D.
Attorney Docket Number	01017/40451C

		I _	U.S. FA	TENT DOCUMENTS		Daniel California (Jana 187)
Examiner Initials*	Cite No.1	Document Number  Number-Kind Code <sup>2</sup> ( if known)	Publication Date MM-DD-YYYY	Name of Patent Applicant of Cited D		Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	A5	08/478,995	N/A	Lauffler, Leander et al.		
	A6	2003/064480	04-03-2003	Lauffler, Leander et al.		
	A7	4,593,002	01-11-1982	Dulbecco		
	A8	4,675,285	09-19-1984	Clark et al.		
	A9	4,729,326	03-08-1988	Richter		
	A10	4,769,326	09-06-1988			
	A11	4,894,439	01-16-1990	Dorin et al.		
	A12	4,912,044	03-27-1990			
	A13	4,935,233	06-19-1990			
	A14	4,963,354	10-06-1990	Shepard et al.		
	A15	4,965,271		Mandell et al.		-
	A16	5,055,447		Palladino et al.		
	A17	5,073,627	12-17-1991	Curtis et al.		
	A18	5,075,222		Hannum et al.		
	A19	5,098,702		Zimmerman et al.		
	A20	5,098,833	03-24-1992			
	A21	5,118,500	06-02-1992			
	A22	5,136,021		Dembinski et al.		
	A23	5,155,027		Sledziewski et al.		
	A24	5,211,395	06-29-1993	Gero	<del>.</del>	
	A25	5,211,945		Wallach et al.		
	A26	5,225,538	07-06-1993			
	A27	5,258,498	11-02-1993			
	A28	5,264,416	11-23-1993			
	A29	5,270,038	12-14-1993		· · · · · · · · · · · · · · · · · · ·	
	A30	5,336,603	08-09-1994			
	A31	5,350,683	09-27-1994	Sims et al.		
	A32	5,359,032	10-25-1994			
	A33	5,447,851	09-05-1995			
	A34	5,455,165	10-03-1995	Capon et al.		
	A35		12-26-1995	Wallach et al.		
	A36	5,478,925		Wallach et al.		
		5,512,544	04-30-1996			
	A37	5,514,582	05-07-1996		· · · · · · · · · · · · · · · · · · ·	
	A38	5,599,905	02-04-1997			
	A39	5,605,690	02-25-1997	Jacobs et al.	<u>.</u>	
	A40	5,610,279	03-11-1997	Brockhaus et al.		<del> </del>
	A41	5,633,145	05-27-1997			<del> </del>
	A42	5,639,597		Lauffer et al.		
	A43	5,695,953	12-09-1997			
	A44	5,705,364		Etcheverry et al.	-	
	A45	5,712,155	01-27-1998	Smith et al.	_	
	A46	5,721,121	02-24-1998	Etcheverry et al.	<del></del>	
	A47	5,808,029	09-15-1998	Brockhaus et al.		
	A48	5,811,261	09-22-1998	Wallach et al.		
	A49	5,863,786	01-26-1999	Feldmann et al.		
	A50	5,945,397	08-31-1999	Smith et al.		<u> </u>
Examiner Signature					Date Considered	



PTO/SB/08a/b (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Pagention (2ct of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/B/PTO Application Number 08/444,791-Conf. #5613 INFORMATION DISCLOSURE May 19, 1995 Filing Date STATEMENT BY APPLICANT **Brockhaus** First Named Inventor 1644 Art Unit (Use as many sheets as necessary) R. Schwadron, Ph.D. Examiner Name Sheet 2 of 8 Attorney Docket Number 01017/40451C

						W.V.	
	A51	5,981,701	11-09-19	99 Wallach	et al.		
	A52	6,143,866	11-07-20	00 Brewer e	t al.		
	A53	6,165,476	12-26-20	00 Strom et	al.		
	A54	6,201,105	03-13-20	01 Smith et	al.		
	A55	6,221,675	04-24-20	01 Hauptma	nn et al.		
	A56	6,271,346	08-07-20				
	A57	6,294,352	09-25-20		nn et äl.	·	
	A58	6,541,610	04-01-20		:		
	A59	6,541,620	04-01-20				
	A60	6,572,852	06-03-20				
	A61	RE 36,755		00 Smith et			
			FORE	GN PATENT	DOCUMENTS		
		Foreign Patent Do	ocument	Publication	Name of Batanta an	Pages, Columns, Lines,	
Examiner	Cite	Country Code <sup>3</sup> -Number		Date	Name of Patentee or Applicant of Cited Document	Where Relevant Passages	
Initials*	No.1	known)		MM-DD-YYYY	, <del>, , , , , , , , , , , , , , , , , , </del>	or Relevant Figures Appear	
	B13	AU 58976		01-24-1991	Synergen, Inc.		
	B14	EP 120694		10-03-1984	Boss et al.		
	B15	EP 227110	• •	07-01-1987	Satoshi et al.		
	B16	EP 230574		08-05-1987	Ruddle		
	B17	EP 269455		06-01-1988	Ikeyama et al.		
	B18	EP 314317	•	05-03-1989	Capon et al.		
	B19	EP 325262		07-26-1989	Seed		
	B20	EP 414178		02-27-1991	Seed		
	B21	EP 417563		03-20-1991	Brockhaus et al.		
	B22	EP 460846	**	12-11-1991	Sims et al.		
	B23	EP 471701		02-26-1992	Lemarie et al.		
	B24	EP 526452		02-10-1993	Capon et al.		
	B25	EP 526905		02-10-1993	Wallach et al.		
	B26	EP 568925		11-10-1993	Wallach et al.		
	B27	EP 606869		07-20-1994	Wallach et al.		
	B28	GB 2,218,101A		10-08-1989	Dayer and Seckinger		
	B29	GB 2 246 569		02-05-1992	Feldman et al.		<u> </u>
	B30	JP 02-154695		06-14-1990	Brockhaus et al.		
	B31	JP 61-293924		12-24-1986	Yojiro et al.		
	B32	WO 91/02078		02-21-1991	Rathjen et al.		<u> </u>
	B33	WO 91/08298		12-13-1991	Capon et al.		igspace
	B34	WO 91/17184		11-14-1991	Carter		
	B35	WO 92/08495		05-29-1992	Gillies		<u> </u>
	B36	WO 92/13095		08-06-1992	Carmichael et al.		<u> </u>
	B37	WO 93/07863		04-29-1993	Mullarkey		<u> </u>
	B38	WO 93/19777		10-14-1993	Smith		L
	B39	WO 94/06476		03-31-1994	Smith et al.		1

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See Kinds Codes of USPTO Patent Documents at <a href="www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

	· · · · · · · · · · · · · · · · · · ·		
Examiner		Date	
Signature		Considered	

PTO/SB/08a/b (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

WELLIAM STATEMATOR OF THE PROPERTY OF

Sub	estitute for form 1449A/B/PT	0	· <del></del> · <u>-</u>	Complete if Known			
		_		Application Number	08/444,791-Conf. #5613		
l IN	<b>IFORMATION</b>	l Di	SCLOSURE	Filing Date	May 19, 1995		
l s	TATEMENT E	3Y /	APPLICANT	First Named Inventor	Brockhaus		
				Art Unit	1644		
	(Use as many sheets as necessary)			Examiner Name	R. Schwadron, Ph.D.		
Sheet	3	of	8	Attorney Docket Number	01017/40451C		

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	C31	ABRAHAM et al., p55 Tumor Necrosis Factor Receptor Fusion Protein in the Treatment of Patients With Severe Sepsis and Septic Shock: ΔΔΔΔΔ JAMA, 19:1531-1538 (1997)	
	C32	ABRAHAM et al., Lenercept (p55 Tumor Necrosis Factor Receptor Fusion Protein) In Severe Sepsis and Early Septic Shock: A Randomized, Double-Blind, Placebo-Controlled, Multicenter Phase III Trial With 1,342 Patients, Crit Care Med, 29:503-510 (2001)	
	C33	AGGARWAL et al., Characterization of Receptors for Human Tumour Necrosis Factor and Their Regulation by γ-Interferon, Nature, 318:665-667 (1985)	
	C34	AGGARWAL et al., Induction of Receptors for Tumor Necrosis Factor-α by Interferons Is Not a Major Mechanism for Their Synergistic Cytotoxic Response, J. Biol. Chem., 262:10000-10007 (1987)	
	C35	AGGARWAL et al., Human tumour necrosis factors: structure and receptor interactions, in Tumor necrosis factor and related cytotoxins, pp 39-51, (Ciba Foundation symposium 131), Wiley, Chichester (1987)	
	C36	ARENZANA-SEISDEDOS et al., Immunoregulatory Mediators in the Pathogenesis of Rheumotoid Arthritis, Scand. J. Rheumatol., Supplement 66:13-17 (1987)	
	C37	ARUFFO et al., Molecular Cloning of a CD28 cDNA by a High-Efficiency COS Cell Expression. System, Proc. Natl. Acad. Sci. USA, 84:8573-8577 (1987).	
	C38	ASHKENAZI et al., Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin, Proc. Natl. Acad. Sci., U.S.A. 88:10535-10539 (1991)	
	C39	AYALA, Modern Genetics, Benjamin/Cummings, Publ. Co., Menlo Park CA, p. 45, (1980)	
	C40	BAGLIONI et al., Binding of Human Tumor Necrosis Factor to High Affinity Receptors on HeLa and Lymphoblastoid Cells Sensitive to Growth Inhibition, J. Biol. Chem., 260:13395-13397 (1985)	,
	C41	BENJAMINI et al., Antibody Structure, in Immunology: A Short Course, 3rd ed., Wiley-Liss New York, 61-69 (1996)	
	C42	BRANELLEC et al., TNF: Antitumoral Agent at the Border Lines of Immunity and Inflammation, Path. Biol., 39:230-239 (1991)	
	C43	BROCKHAUS et al., Identification of Two Types of Tumor Necrosis Factor Receptors on Human Cell Lines by Monoclonal Antibodies, Proc. Natl. Acad. Sci. USA, 87:3127-3131 (1990)	
	C44	CARTER et al., Purification, Cloning, Expression and Biological Characterization of an Interleukin-1 Receptor Antagonist Protein, Nature, 344:633-638 (1990)	
	C45	CARPENTER et al., Epidermal Growth Factor, J. Biol. Chem., 265:7709-7712 (1990)	
	C46	CARPENTER, Receptors For Epidermal Growth Factor And Other Polypeptide Mitogens, Ann. Rev, Biochem., 56:881-914 (1987)	
	C47	CASADEI et al., Expression and Secretion of Aequorin as a Chimeric Antibody by Means of a Mammalian Expression Vector, Proc. Natl. Acad. Sci., U.S.A. 87:2047-2051 (1990)	
	C48	COFFMAN et al., The Role of Helper T Cell Products in Mouse B Cell Differentiation and Isotype Regulation, Immunol. Rev., 102:5-28 (1988)	
	C49	CREASEY et al., A High Molecular Weight Component of the Human Tumor Necrosis Factor Receptor is Associated With Cytotoxicity, Proc. Natl. Acad. Sci. USA, 84:3293-3297 (1987)	

Examiner	Date	
Signature	Considered	



PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
der the Paperwork Appendix Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/B/PTO 08/444,791-Conf. #5613 Application Number **INFORMATION DISCLOSURE** May 19, 1995 Filing Date STATEMENT BY APPLICANT First Named Inventor Brockhaus Art Unit 1644 (Use as many sheets as necessary) R. Schwadron, Ph.D. Examiner Name Sheet 4 of 8 Attorney Docket Number 01017/40451C

	C50	DAYER, Chronic Inflammatory Joint Diseases: Natural Inhibitors of Interleukin 1 and Tumor Necrosis Factor α, J. Rheumatol, 18 (Suppl. 27): 71-75 (1991)	
	C51	DOWER et al., Human Cytokine Receptors, J. Clin. Immunol., 10:289-299 (1990)	
	C52	EISENBERG et al., Primary Structure and Functional Expression From Complementary DNA	_
l i		of a Human Interleukin-1 Receptor Antagonist, Nature, 343:341-346 (1990)	
	C53	ELLISON et al., The Nucleotide Sequence of A Human Immunoglobulin Cy1 Gene, Nucleic	
		Acids Res. 10(13): 4071-79 (1982)	
	C54	ESMON, The Roles of Protein C and Thrombomodulin in the Regulation of Blood Coagulation,	_
:		J. Biol. Chem., 264:4743-4746 (1989)	
	C55	European Search Report for EP 97 12 0664, dated 3/9/98	
		FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A	_
		Chimeric F(ab') With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452	
1		(1991)	
	C57	FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present	
<b>l</b> 1		in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990)	
	C58	FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The	_
<b>!</b>	-,	FASEB Journal, 5:2567-2574 (1991)	
	C59	FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-α)-Induced Neutrophil	
<b>!</b> !		Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991)	
	C60	FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis	
		Research, 48:89-99 (1987)	
	C61	FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc	
I 1		Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996)	
	C62	FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients	
1		With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990)	
	C63	FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With	
1		Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989)	
	C64	GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein	
1		to Mycobacterial Infections: Synergistic Action of TNF and IFN-γ in the Differentiation of	
1		Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997)	
	C65	GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc.	
		Natl. Acad. Sci USA, 84:2936-2940 (1987)	
	C66	GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In	
11		Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992).	
	C67	GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal	
		Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991)	
	C68	GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25	
		(1982)	
	C69	GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108	
		(1991)	
	C70	GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine	
	- <u>-</u>	Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991)	
	C71	GRAY et al, Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With	
		Tumour Necrosis Activity, Nature, 312:721-724 (1984)	
'	C72	GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of	
		recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990)	
	C73	GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl.	
		Acad. Sci. USA, 83:8024-8028 (1986)	
	C74	HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,	
		152:1347-1353 (1994)	

Examiner		Date	•
Signature	•	Considered	



PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sut	ostitute for form 1449A/B/PT	0		Complete if Known			
				Application Number	08/444,791-Conf. #5613		
11	NFORMATION	I DI	SCLOSURE	Filing Date	May 19, 1995		
S	TATEMENT B	3Y /	APPLICANT	First Named Inventor	Brockhaus		
				Art Unit	1644		
	(Use as many sheets as necessary)			Examiner Name	R. Schwadron, Ph.D.		
Sheet	5	of	8	Attorney Docket Number	01017/40451C		

C75		of a Human Inte	erleukin-1 Inhibitor,	
C76	HEFLIN et al., Prevention by Granulocyte Depletion of Incre			
C77	HELLER et al., Amplified Expression of Tumor Necrosis Fa	ctor Receptor i	n Cells Transfected	
C78	Lymphoblastoid Cells Transfected with HeLa Cell-CDNA Ex			
C79	Receptor Chain (p60) and Its Soluble Derivative, Tumor Ne and Cell Biology, 9:705-715 (1990)	crosis Factor-E	Binding Protein, DNA	
	HOBART, The Immune System: A Course on the Molecular Blackwell Scientific Pubs, Page 7 (1975)	•		
C81	Intereukin 1 and 4β-Phorbol-12-Myristate-13-Acetate, J. Im	munol., 139:11	161-1167 (1987). 🕟	
C82	Receptor Chimeric Mutants, J. Biol. Chem., 268:16430-164	436 (1992)		
C83	Defines A Novel Receptor Superfamily, J. Exp. Med., 171:	861-873 (1990)	)	
C84	Internalization Of Receptor Bound Ligand, J. Immunol., 139	9:2989-2992 (1	987)	
	Human Tumor Necrosis Factor to Myeloid Leukemia Cells,	Blood, 73:419-	424 (1989)	
C86	IFN, Immunology Letters, 12:217-224 (1986)			
C87	Receptors, International Review of Expermental Pathology,	34B:123-135	(1993)	,
C88	JONES et al, Structure of Tumour Necrosis Factor, Nature,	338:225-228	(1989)	
C89	KACZMARSKI et al., The Cytokine Receptor Superfamily, I	Blood Reviews	, 5:193-203 (1991)	
	Proteins: Structure, Function & Genetics, 12:1-9 (1992)			
	Receptor, Journal of Leukocyte Biology, 55:272-279 (1994)	)		
C92	KEEGAN et al., Interleukin 4 Receptor: Signaling Mechanis 432 (1994)	ms, Immunolo	gy Today, 15:423-	
C93				
C94				
C95				
C96	KRUSE et al., Conversion of Human Interleukin-4 Into a High Affinity Antagonist by a Single			
C97	KULL et al., Cellular Receptor for <sup>125</sup> I-Labeled Tumor Necrosis Factor: Specific Binding, Affinity Labeling, and Relationship to Sensitivity, Proc. Natl. Acad. Sci. USA, 82:5756-5760			
C98		ınctional Activit	ty Of Both Proteins,	
		Date	. 25	
	C76 C77 C78 C79 C80 C81 C82 C83 C84 C85 C86 C87 C88 C89 C90 C91 C92 C93 C94 C95 C96 C97	<ul> <li>Nature, 343:336-340 (1990)</li> <li>C76 HEFLIN et al., Prevention by Granulocyte Depletion of Incor Sheep Lung Following Endotoxemia, J. Clin. Invest., 68:12</li> <li>C77 HELLER et al., Amplified Expression of Tumor Necrosis Fa With Epstein-Barr Virus Shuttle Vector cDNA Libraries, J. I.</li> <li>C78 HELLER et al., Amplified Expression of the Tumor Necrosis Lymphoblastoid Cells Transfected with HeLa Cell-CDNA Expression (psilogy)</li> <li>C79 HIMMLER et al., Molecular Cloning and Expression of Hum Receptor Chain (psilogy)</li> <li>C80 HOBART, The Immune System: A Course on the Molecula Blackwell Scientific Pubs, Page 7 (1975)</li> <li>C81 HOLTMANN et al., Down Regulation of the Receptors For Intereukin 1 and 4β-Phorbol-12-Myristate-13-Acetate, J. Im Receptor Chimeric Mutants, J. Biol. Chem., 268:16430-16.</li> <li>C82 HSU et al., Differential Expression and Ligand Binding Progreceptor Chimeric Mutants, J. Biol. Chem., 268:16430-16.</li> <li>C83 IDZERDA et al., Human Interleukin 4 Receptor Confers Bio Defines A Novel Receptor Superfamily, J. Exp. Med., 171:</li> <li>C84 IMMURA et al., Expression Of Tumor Necrosis Factor ReInternalization Of Receptor Bound Ligand, J. Immunol., 133</li> <li>C85 ISHIKURA et al., Differential Biologic Effects Resulting Fron Human Tumor Necrosis Factor to Myeloid Leukemia Cells, ISRAEL et al., Binding Of Human TNF-α To High-Affinity C. IFN, Immunology Letters, 12:217-224 (1986)</li> <li>C87 JACOBS et al., Pharmacokinetic Parameters and Biodistric Receptors, International Review of Expermental Pathology.</li> <li>C88 JONES et al., Structure of Tumour Necrosis Factor, Nature, Proteins: Structure, Function &amp; Genetics, 12:1-9 (1994)</li> <li>C90 KAUSHANSKY, Structure-Function Relationships of the Heroteins: Structure, Function &amp; Genetics, 12:1-9 (1994)</li> <li>C91 KEEGAN et al., The Interleukin-4 Receptor: Signal Transdure Receptor, Journal of Leukocyte Biology, 55:272-279 (1994)</li> <li>C92 KEEGAN et al., Interleukin 4 Receptor: Signaling Mechanis 432 (1994)</li> <li>C93 KLI</li></ul>	Nature, 343:336-340 (1990)  C76 HEFLIN et al., Prevention by Granulocyte Depletion of Increased Vascula Sheep Lung Following Endotoxemia, J. Clin. Invest., 68:1253-1260 (1981)  C77 HELLER et al., Amplified Expression of Tumor Necrosis Factor Receptor in With Epstein-Barr Virus Shuttle Vector cDNA Libraries, J. Biol. Chem., 26  C78 HELLER et al., Amplified Expression of the Tumor Necrosis Factor Recept Lymphoblastoid Cells Transfected with HeLa Cell-CDNA Expression Abst. Valley Conference 1989  C79 HIMMLER et al., Molecular Cloning and Expression of Human and Rat Tu Receptor Chain (p60) and Its Soluble Derivative, Tumor Necrosis Factor-Eand Cell Biology, 9:705-715 (1990)  C80 HOBART, The Immune System: A Course on the Molecular and Cellular Bisacwell Scientific Pubs, Page 7 (1975)  C81 HOLTMANN et al., Down Regulation of the Receptors For Tumor Necrosis Intereukin 1 and 4β-Phorbol-12-Myristate-13-Acetate, J. Immunol., 139:11  C82 HSU et al., Differential Expression and Ligand Binding Properties of Tumor Receptor Chimeric Mutants, J. Biol. Chem., 268:16430-16436 (1992)  C83 IDZERDA et al., Human Interleukin 4 Receptor Confers Biological Respor Defines A Novel Receptor Superfamily, J. Exp. Med., 171:861-873 (1990)  C84 IMAMURA et al., Expression Of Tumor Necrosis Factor Receptors On Hunternalization Of Receptor Bound Ligand, J. Immunol., 139:2989-2992 (1)  C85 ISHIKURA et al., Differential Biologic Effects Resulting From Bimodal Bind Human Tumor Necrosis Factor to Myeloid Leukemia Cells, Blood, 73:419  C86 ISRAEL et al., Binding Of Human TNF-a To High-Affinity Cell Surface Receptors, International Review of Expermental Pathology, 34B:123-135  C87 JACOBS et al., Pharmacokinetic Parameters and Biodistribution of Soluble Receptors, International Review of Expermental Pathology, 34B:123-135  C88 JONES et al., Structure of Tumor Necrosis Factor, Nature, 338:225-228  C89 KACZMARSKI et al., The Cytokine Receptor Superfamily, Blood Reviews Kaczyman Structure, Function & Genetics, 12:1-9 (1994)  C90 KEEGAN et al., Interleu	<ul> <li>(776) HEFLIN et al., Prevention by Granulocyte Depletion of Increased Vascular Permeability of Sheep Lung Following Endotoxemia, J. Clin. Invest., 68:1253-1280 (1981).</li> <li>(777) HELLER et al., Amplified Expression of Tumor Necrosis Factor Receptor in Cells Transfected With Epstein-Barr Virus Shuttle Vector cDNA Libraries, J. Biol. Chem., 26:5708-5717 (1990).</li> <li>(78] HELLER et al., Amplified Expression of Human Permeability Onderone 1989.</li> <li>(79] HIMMLER et al., Molecular Cloning and Expression of Human and Rat Tumor Necrosis Factor Receptor Chain (60) and its Soluble Derivative, Tumor Necrosis Factor-Binding Protein, DNA and Cell Biology, 9:705-715 (1990).</li> <li>(80) HOBART, The Immune System: A Course on the Molecular and Cellular Basis of immunity, Blackwell Scientific Pubs, Page 7 (1975).</li> <li>(81) HOLTMANN et al., Down Regulation of the Receptors For Tumor Necrosis Factor By Intereukin 1 and 49-Phorbol-1-2-Myristate-13-Acetate, J. Immunol., 139:1161-1167 (1987).</li> <li>(82) HSU et al., Differential Expression and Ligand Binding Properties of Tumor Necrosis Factor Receptor Chimeric Mutants, J. Biol. Chem., 268:16430-16436 (1992).</li> <li>(83) IDZERDA et al., Human Interleukin 4 Receptor Confers Biological Responsiveness And Defines A Novel Receptor Superfamily, J. Exp. Med., 171:861-873 (1990).</li> <li>(84) IMAMURA et al., Expression Of Tumor Necrosis Factor Receptors On Human Monocytes And Internalization Of Receptor Bound Ligand, J. Immunol., 139:2998-2992 (1987).</li> <li>(85) ISHIKURA et al., Differential Biologic Effects Resulting From Bimodal Binding of Recombinant Human Tumor Necrosis Factor to Myeloid Leukemia Cells, Blood, 73:419-424 (1989).</li> <li>(86) ISRAEL et al., Binding Of Human NFr-a To High-Affinity Cell Surface Receptors: Effect Of IFN, Immunology Letters, 12:217-224 (1986).</li> <li>(87) JACOSS et al., Pharmacokinetic Parameters and Bioidistribution of Soluble Cytokine Receptor. Superfamily, Blood Review</li></ul>

JAN 0 3 2005

PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/B/PTO Application Number 08/444,791-Conf. #5613 **INFORMATION DISCLOSURE** May 19, 1995 Filing Date STATEMENT BY APPLICANT First Named Inventor Brockhaus Art Unit 1644 (Use as many sheets as necessary) Examiner Name R. Schwadron, Ph.D. 01017/40451C Sheet Attorney Docket Number

	C99	LANGNER et al., Structural and Functional Analysis of a TNF Receptor-Immunoglobulin Fusion Protein, New Advances on Cytokines, 349-354 (1992)	
	C100	LEBERTHON et al., Enhanced Tumor Uptake of Macromolecules Induced by a Novel	
		Vasoactive Interleukin 2 Immunoconjugate, Cancer Research, 51:2694-2698 (1991)	
ž.	C101	LESSLAUER et al., Recombinant Soluble Tumor Necrosis Factor Receptor Proteins Protect Mice From Lipopolysaccharide-Induced Lethality, Eur. J. Immunol., 21:2883-2886 (1991)	
	C102	LIABAKK et al., A Rapid and Sensitive Immunoassay for Tumor Necrosis Factor Using	
*		Magnetic Monodisperse Polymer Particles, Journal of Immunological Methods, 134:253-259 (1990)	
	C103	LOETSCHER et al., Efficacy of a Chimeric TNFR-IgG Fusion Protein to Inhibit TNF Activity in	
		Animal Models of Septic Shock, Endotoxin Research Series, 2:455-462 (1993)	
	C104	LOETSCHER et al., Two distinct human TNF receptors: purification, molecular cloning and	
	• • • • • • • • • • • • • • • • • • •	expression, in Tumor Necrosis Factor: Structure-Function Relationship and Clinical	
	1	Application, (3 <sup>rd</sup> International Conference	
	C105	MALISZEWSKI et al., Cytokine Receptors And B Cell Functions: Recombinant Soluble	
	10.00	Receptors Specifically Inhibit IL-1 and IL-4 Induced Cell Activities In Vitro, J. Immunol.,	
٠,		144:3028-3033 (1990)	
	C106	MOHLER et al., Soluble Tumor Necrosis Factor (TNF) Receptors Are Effective Therapeutic	
	10.00	Agents in Lethal Endotoxemia and Function Simultaneously as Both TNF Carriers and TNF	
•	1	Antagonists, J. Immunol., 151:1548-1561 (1993)	
	C107	MORI et al., Attenuation of Collagen-Induced Arthritis in 55-kDa TNF Receptor Type 1	
	10107	(TNFR1)-lgG1-Treated and TNFR1-Deficient Mice, J. Immunol., 157:3178-3182 (1996)	
	C108	MORRISSEY et al., Molecular Cloning of the cDNA for Tissue Factor, the Cellular Receptor for	
	1000	the Initiation of the Coagulation Protease Cascade, Cell: 50:129-135 (1987)	
	C109		
	C 109	MORRISON, In Vitro Antibodies: Strategies for Production and Application, Annu. Rev. Immunol., 10:239-265 (1992)	
	C110	MOSLEY et al., The Murine Interleukin-4 Receptor: Molecular Cloning and Characterization of	
	1	Secreted and Membrane Bound Forms, Cell: 59:335-348 (1989)	
	C111	NOPHAR et al., Soluble Forms of Tumor Necrosis Factor Receptors (TNF-Rs). The cDNA for	
		the Type I TNF-R, Cloned Using Amino Acid Sequence Data of its Soluble Form, Encodes	
		Both the Cell Surface and a Soluble Form of the Receptor, The EMBO Journal, 9:3269-3278	
	Ì	(1990)	
	C112	NOVOTNY et al., A Soluble, Single-Chain T-Cell Receptor Fragment Endowed With Antigen-	
•		Combining Properties, Proc. Natl. Acad. Sci. USA, 88:8646-8650 (1991)	
	C113	OKAYAMA et al., High-Efficiency Cloning of Full-Length cDNA, Molecular and Cellular	
		Biology, 2:161-170 (1982)	
	C114	OKAYAMA et al., A cDNA Cloning Vector That Permits Expression of cDNA Inserts in	
		Mammalian Cells, Molecular and Cellular Biology, 3:280-289 (1983)	
	C115	OLD, Tumor Necrosis Factor, 2nd Intl Conference on Tumor Necrosis Factor & Related	
•	0	Cytokines, Napa, CA, 1-30 (1989)	
	C116	PABORSKY et al., Purification of Recombinant Human Tissue Factor, Biochemistry, 28:8072-	
	00	8077 (1989)	
	C117	PARRILLO, Pathogenetic Mechanisms of Septic Shock, New Eng. J. Med., 328:1471-1477	•
	10111	(1993)	
	C118	PEETRE et al., A Tumor Necrosis Factor Binding Protein is Present in Human Biological	
•	10118	Fluids, Eur. J. Haematol. 41:414-419 (1988)	
	C119	PENNICA et al., Human Tumour Necrosis Factor: Precursor Structure, Expression and	
	10119		
	C420	Homology to Lymphotoxin, Nature, 312:724-729 (1984).	<del></del>
	C120	PEPPEL et al., Chimaeric TNF-Receptor - IgG Molecule Acts As Soluble Inhibitor Of TNF	:
	L	Mediated Cytotoxicity, J. Cell. Biochem., Supp. 15F:439 (1991)	

Examiner	•	Date	No.
Signature		Considered	



PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Patentian Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/B/PTO				Complete if Known		
*				Application Number	08/444,791-Conf. #5613	
İΝ	<b>IFORMATIO</b>	N DIS	CLOSURE	Filing Date	May 19, 1995	
S	STATEMENT BY APPLICANT			First Named Inventor	Brockhaus	
			- -	Art Unit	1644	
	(Use as many s	heets as ne	cessary)	Examiner Name	R. Schwadron, Ph.D.	
Sheet	7	of	8	Attorney Docket Number	01017/40451C	

•	C121	PIGUET et al., Evolution of Collagen Arthritis in Mice is Arrested by Treatment With Anti-
	į	Tumor Necrosis (TNF) Antibody or a Recombinant Soluble TNF Receptor, Immunology, 77
	<u> </u>	(4):510-514 (1992)
	C122	REDFIELD et al., Secondary Structure and Topology of Human Interleukin 4 in Solution,
	<u> </u>	Biochemistry, 30:11029-11035 (1991)
	C123	RUBIN, Binding Receptor Characters Zako and Expression, and Intracellular Events. 2nd Intl
,	ļ	Conference on Tumor Necrosis Factor & Related Cytokines, Napa, CA, 94-96 (1989)
*	C124	RUDDLE et al., An Antibody to Lymphotoxin and Tumor Necrosis Factor Prevents Transfer of
	ļ. <u></u> .	Experimental Allergic Encephalomyelitis, J. Exp. Med., 172:1193-1200 (1990)
	C125	RUTKA et al., The Effects of Human Recombinant Tumor Necrosis Factor on Glioma-Derived
•		Cell Lines: Cellular Proliferation, Cytotoxicity, Morphological and Radioreceptor Studies, Int. J.
<del></del>	10100	Cancer., 41:573-582 (1988)
	C126	SAXNE et al., Detection of Tumor Necrosis Factor α But Not Tumor Necrosis Factor β in
	0.407	Rheumatoid Arthritis Synovial Fluid and Serum, Arthritis & Rheumatism, 31:1041-1045 (1988)
1,5	C127	SCALLON et al., Functional Comparisons Of Different Tumour Necrosis Factor Receptor/IgG
	0.100	Fusion Proteins, Cytokine, 7:759-770 (1995)
	C128	SCARPATI et al., Human Tissue Factor: cDNA Sequence and Chromosome Localization of
	0.100	the Gene, Biochemistry, 26:5234-5238 (1987)
,	C129	SCHLEIFFENBAUM et al., The Tumor Necrosis Factor Receptor and Human Neutrophil
	0400	Function, J. Clin. Invest., 86:184-195 (1990)
4,	C130	SCHNEE et al., Construction and Expression of a Recombinant Antibody-Targeted
•	0404	Plasminogen Activator, Proc. Natl. Acad. Sci. USA, 84:6904-6908 (1987)  SECKINGER et al., A Human Inhibitor Of Tumor Necrosis Factor α, J. Exp. Med. 167:1511-
	C131	1516 (1988)
	0420	SHALABY et al., Receptor Binding and Activation of Polmorphonuclear Neutrophils by Tumor
	C132	
	C133	Necrosis Factor-Alpha, Journal of Leukocyte Biology, 41:196-204 (1987)  SHALABY et al., Binding and Regulation of Cellular Function by Monoclonal antibodies
	C133	Against Human Tumor Necrosis Factor Receptors, J. Exp. Med. 172: 1517-1520 (1990)
<u> </u>	C134	SHEEHAN et al., Generation and Characterization of Hamster Monoclonal Antibodies That
	0134	Neutralize Murine Tumor Necrosis Factors, Journal of Immunology, 142:3884-3893 (1989)
	C135	SHIN et al., Expression and Characterization of an Antibody Binding Specificity Joined to
	0133	Insulin-Like Growth Factor 1: Potential Applications for Cellular Targeting, Proc. Natl. Acad.
		Sci., 87:5322-5326 (1990)
	C136	SIMS et al., cDNA Expression Cloning of the IL-1 Receptor, a Member of the Immunoglobulin
		Superfamily, Science, 241:585-589 (1988).
	C137	SIMS et al., Cloning the Interleukin 1 Receptor From Human T Cells, Proc. Natl. Acad. Sci.,
	,	86:8946-8950 (1989)
	C138	SMITH et al., The Active Form of Tumor Necrosis Factor Is a Trimer, J. Biol. Chem.,
	10.00	262:6951-6954 (1987)
	C139	SMITH et al., Blocking of HIV-1 Infectivity by a Soluble, Secreted Form of the CD4 Antigen,
	55	Science, 238:1704-1707 (1987)
	C140	SMITH et al., Multimeric Structure of the Tumor Necrosis Factor Receptor of HeLa Cells, J.
		Biol. Chem., 264:14646-14652 (1989)
	C141	SPICER et al., Isolation of cDNA Clones Coding for Human Tissue Factor: Primary Structure
	1	of the Protein and cDNA, Proc. Natl. Acad. Sci., 84:5148-5152 (1987)
	C142	STAINES et al., Collagen Arthritis-What Can It Teach Us?, British Journal of Rheumatology,
٠.		33:798-807 (1994)
	C143	STRADER et al., Structural Basis of β-Adrenergic Receptor Function, The FASEB Journal,
•		3:1825-1832 (1989)
		<u> </u>

Examiner	,		Date	
Signature			Considered	

JAN 0 3 2005

PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE er the Epartment Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/B/PTO 08/444,791-Conf. #5613 Application Number INFORMATION DISCLOSURE May 19, 1995 Filing Date STATEMENT BY APPLICANT Brockhaus First Named Inventor Art Unit 1644 (Use as many sheets as necessary) Examiner Name R. Schwadron, Ph.D. 01017/40451C Sheet 8 Attorney Docket Number

C144	SUGGS et al., Use of Synthetic Oligonucleotides as Hybridization Probes: Isolation of Cloned	
0111	cDNA Sequences for Human β <sub>2</sub> ,-Microglobulin, Proc. Natl. Acad. Sci. U.S.A., 78:6613-6617	
	(1981)	
C145		
	and Gram-Negative Meningitis, The Journal of Infectious Diseases, 166:1045-1050 (1992)	
C146	, , , , , , , , , , , , , , , , , , , ,	
	Signal Transducing Component in TNF Responses, J. Exp. Med. 172: 1019-23 (1990)	
C147		
	Factor on Human Cells, Archives of Biochemistry and Biophysics, 249:563-568 (1986)	
C148	TSUJIMOTO et al, Interferon-γ Enhances Expression of Cellular Receptors for Tumor	
	Necrosis Factor, J. Immunol., 136:2441-2444 (1986)	
C149	TSUJIMOTO et al, Tumor necrosis factor: specific binding and internalization in sensitive and	
	resistant cells, Proc. Natl. Acad. Sci. 82: 7626-30 (1985)	
C150		
·	Immunopathology., 72:137-140 (1994)	
C151	UNGLAUB et al., Downregulation of Tumor Necrosis Factor (TNF) Sensitivity Via Modulation	
	of TNF Binding Capacity by Protein Kinase C Activators, J. Exp. Med. 166:1788-1797 (1987)	
C152		
.	Immunoglobulin Fusion Protein Attenuates Activation of Coagulation, but not of Fibrinolysis,	
	during Lethal Bacteremia in Baboons, The Journal of Infectious Diseases., 176:296-299	
	(1997)	
C153	<u> </u>	_
.	anubis) by Pretreatment With a 55-kDa TNF Receptor (CD120a)-lg Fusion Protein, Ro 45-	
	2081, J. Immunol., 156:2221-2230 (1996)	
C154		_
0.0.	Inflammation Research & Therapy, 51-57 (1991)	
C155		
.   0.00	Structure-Function Relationship and Clinical Application, (3 <sup>rd</sup> International Conference on	
	Tumor Necrosis Factor and Related Cytokines, Makuhari, Chiba, Nov. 21-25, 1990), Osawa	
	and Bonavida, eds., Basel, Karger, pp 47-57 (1992)	
C156		
10.00	Site, Molec. Aspects Med., 12:255-265 (1991)	
C157		
10137	Receptor, Science, 241:825-282 (1988).	
C158		_
10130	Downregulated With the Receptor of Tumor Necrosis Factor, J. Exp. Med., 169:1747-1765	
i l	(1989)	
C159	N /	_
10159		
-   0400	Factor to Cell Surface Receptors, J. Biochem., 100: 531-541(1986)	_
C160	BROWER et al. Roche's RA Drug Crippled, Nature Biotechnology, 15:1325 (1997)	

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner	Date	
Signature	Considered	

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.